


# **ILLUSTRATED PARTS LIST**

**MFG ID NO. 96012004700**

**CUSTOMER CATALOG NO. PB19H42LT**

**PRODUCT NO. 960 12 00-47**


**TRACTOR -- MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
DECALS**



| KEY NO. | PART NO. | DESCRIPTION                   |
|---------|----------|-------------------------------|
| 1       | 193939   | Decal Oper                    |
| 3       | 186164   | Decal Hood LH                 |
| 4       | 401129   | Decal Side Panel Logo         |
| 6       | 170563   | Decal Warning, Keep Hand Away |
| 7       | 196067   | Decal Replacement Parts       |
| 8       | 179128   | Decal Deck "B" 42"            |
| 9       | 172740   | Decal Fender Logo             |
| 10      | 157140   | Decal Fender Danger E/F       |
| 11      | 172743   | Decal Ins Strg Whl            |
| 12      | 173587   | Decal Fend Reflector Rh       |
| 13      | 173589   | Decal Fend Reflector Lh       |

| KEY NO. | PART NO.      | DESCRIPTION                    |
|---------|---------------|--------------------------------|
| 14      | 160396        | Decal V-Belt Schematic         |
| 16      | 186163        | Decal Hood Rh                  |
| 20      | 145005        | Decal Bat Dan/Psn              |
| --      | 179768X428    | Pad Footrest LH                |
| --      | 179769X428    | Pad Footrest RH                |
| --      | 138311        | Decal Handle Lft Height Adjust |
| --      | 166960        | Decal Bypass                   |
| --      | 401121        | Manual Operator's E&F          |
| --      | <b>401122</b> | Manual Parts                   |



**WHEELS AND TIRES**



| KEY NO. | PART NO.   | DESCRIPTION                       |
|---------|------------|-----------------------------------|
| 1       | 59192      | Cap Valve Tire                    |
| 2       | 65139      | Stem Valve                        |
| 3       | 106222X    | Tire F T 15 x 6 0 - 6 Service     |
| 4       | 59904      | Tube Front (Service Item Only)    |
| 5       | 106732X421 | Rim Asm 6" front Service          |
| 6       | 278H       | Fitting Grease (Front Wheel Only) |
| 7       | 9040H      | Bearing Flange (Front Wheel nly)  |
| 8       | 106108X421 | Rim Asm 8" rear Service           |
| 9       | 138468     | Tire R T 20 x 8-8 Service         |
| 10      | 7152J      | Tube Rear (Service Item Only)     |
| 11      | 104757X421 | Cap Axle Blk 1 50 x 1 00          |
| --      | 144334     | Sealant, Tire ( 10 oz. Tube)      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47 SCHEMATIC



**IGNITION SWITCH**

| POSITION     | CIRCUIT    | "MAKE" |
|--------------|------------|--------|
| OFF          | M+G+A1     |        |
| RUN/OVERRIDE | B+A1       |        |
| RUN          | B+A1       | L+A2   |
| START        | B + S + A1 |        |

02836

**NOTE**


YOUR TRACTOR IS EQUIPPED WITH A SPECIAL ALTERNATOR SYSTEM. THE LIGHTS ARE NOT CONNECTED TO THE BATTERY, BUT HAVE THEIR OWN ELECTRICAL SOURCE. BECAUSE OF THIS, THE BRIGHTNESS OF THE LIGHTS WILL CHANGE WITH ENGINE SPEED. AT IDLE THE LIGHTS WILL DIM. AS THE ENGINE IS SPEEDED UP, THE LIGHTS WILL BECOME THEIR BRIGHTEST.



**WIRING INSULATED CLIPS**

**NOTE:** IF WIRING INSULATED CLIPS WERE REMOVED FOR SERVICING OF UNIT, THEY SHOULD BE REPLACED TO PROPERLY SECURE YOUR WIRING.

**TRACTOR -- MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
ELECTRICAL**




**TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
ELECTRICAL**

| <b>KEY NO.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>                    |
|----------------|-----------------|---------------------------------------|
| 1              | 163465          | Battery                               |
| 2              | 74760412        | Bolt Hex Hd 1/4-20 unc x 3/4          |
| 8              | 176689          | Box Battery                           |
| 16             | 176138          | Switch Interlock                      |
| 21             | 183759          | Harness Socket Light                  |
| 22             | 4152J           | Bulb, Light # 1156                    |
| 24             | 4799J           | Cable Battery                         |
| 25             | 146147          | Cable Battery 6 Ga. Red w/16 wire 44" |
| 26             | 175158          | Fuse                                  |
| 27             | 73510400        | Nut Keps Hex 1/4-20 unc               |
| 28             | 4207J           | Cable Ground 12" Blk 6 Ga.            |
| 29             | 192749          | Switch Seat                           |
| 30             | 193350          | Switch Ign                            |
| 33             | 140401          | Key Ign Molded Generic                |
| 34             | 110712X         | Switch Light/Reset                    |
| 40             | 197428          | Harness Ign                           |
| 41             | 71110408        | Bolt Fin Hex 1/4-20 unc x 1/2         |
| 42             | 131563          | Cover Terminal Red                    |
| 43             | 192507          | Solenoid                              |
| 48             | 140844          | Adapter Ammeter                       |
| 52             | 141940          | Protection Loop                       |
| 90             | 180449          | Cover Terminal                        |
| 92             | 196615          | Harness Pigtail                       |
| 93             | 192540          | Screw Plastite 10-14 x 2.0            |
| 94             | 191834          | Module Reverse ROS                    |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
CHASSIS**




chassis\_elite sv\_pro\_4

**TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
CHASSIS**

| <b>KEY NO.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>                                      |
|----------------|-----------------|---|
| 1              | 174619          | Chassis   |
| 2              | 176554          | Drawbar   |
| 5              | 155272          | Bumper Hood/Dash  |
| 9              | 193510X010      | Dash P/L  |
| 10             | 72140608        | Bolt Carriage 3/8-16 x 1                                |
| 11             | 174996          | Panel Dash Lh   |
| 13             | 179174X010      | Panel Dash Rh   |
| 14             | 17490608        | Screw Thdrol 3/8-16 x 1/2                               |
| 17             | 183393X428      | Hood  |
| 18             | 184921          | Bumper Hood   |
| 24             | 74780616        | Bolt Fin Hex 3/8-16 unc x 1 Gr. 5                       |
| 25             | 19131312        | Washer 13/32 x 13/16 x 12 Ga.                           |
| 26             | 73800600        | Nut Lock Hex W/Ins 3/8-16 unc                           |
| 28             | 183828          | Grille/Lens Asm (Includes Nos. 258, 259, 261, 263, 264) |
| 30             | 192528X428      | Fender  |
| 31             | 136619          | Bracket Fender  |
| 33             | 179716X428      | Footrest LH   |
| 34             | 179717X428      | Footrest RH   |
| 35             | 72110606        | Bolt RDHD SHT SQNK 3/8-16 x 3/4                         |
| 37             | 17490508        | Screw Thdrol 6/16-18 x 1/2 TYT                          |
| 38             | 175710          | Bracket Asm Pivot Mower Rear                            |
| 39             | 174714          | Bracket Pivot   |
| 58             | 184322          | Duct Air  |
| 64             | 154798          | Dash Lower STLT   |
| 142            | 175702          | Plate Reinforcement STLT                                |
| 145            | 156524          | Rod Pivot Chassis/Hood                                  |
| 159            | 169473X428      | Cupholder   |
| 206            | 170165          | Bolt Shoulder 5/16-18                                   |
| 207            | 17670508        | Screw Thdrol 5/16-18 x 1/2                              |
| 208            | 17670608        | Screw Thdrol 3/8-16 x 1/2                               |
| 209            | 17000612        | Screw Hexwsh Thdr 3/8-16 x 3/4                          |
| 258            | 183835X599      | Lens Grille Pro RH                                      |
| 259            | 183834X599      | Lens Grille Pro LH                                      |
| 261            | 183829X428      | Insert Grille   |
| 263            | 183833          | Bezel Grille RH   |
| 264            | 183832          | Bezel Grille LH   |
| 278            | 191611          | Screw 10 x 3/4 Single Lead Hex                          |
| --             | 5479J           | Plug BTN BIK  |
| --             | 187801          | Plug Dome Plastic                                       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
DRIVE



drive-hydro.stlt\_72




**TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47 DRIVE**

| KEY NO. | PART NO.        | DESCRIPTION                          | KEY NO. | PART NO.        | DESCRIPTION                       |
|---------|-----------------|--------------------------------------|---------|-----------------|-----------------------------------|
| 1       | -----           | Transaxle Hydro Gear 314-0510        | 66      | 154778          | Keeper Belt Engine                |
|         |                 |                                      | 69      | 142432          | Screw Hex Wsh Hi-Lo 1/4-1/2 unc   |
|         |                 |                                      | 70      | 134683          | Guide Belt                        |
| 8       | 192706          | Rod Shift                            | 71      | <b>169183</b>   | Strap Torque LH                   |
| 10      | 76020416        | Pin Cotter 1/8 x 1 CAD               | 73      | <b>169182</b>   | Strap Torque RH                   |
| 14      | 10040400        | Washer Lock Hvy Helical              | 74      | 137057          | Spacer, Axle                      |
| 15      | 74490544        | Bolt, Hex FLGHD 5/16-18 Gr. 5        | 75      | 121749X         | Washer 25/32 x 1-1/4 x 16 Ga.     |
| 16      | 73800500        | Nut Lock Hex W/Ins 5/16-18 unc       | 76      | 12000001        | E-Ring                            |
| 19      | 73800600        | Nut Lock Hex W/Wsh 3/8-16 unc        | 77      | 123583X         | Key, Square                       |
| 21      | 140845          | Knob, Round 1/2-13                   | 78      | 121748X         | Washer 25/32 x 1-5/8 x 16 Ga.     |
| 22      | <b>169498</b>   | Rod, Brake Hydro                     | 81      | <b>165596</b>   | Shaft Asm. Cross Hydro            |
| 24      | 73350600        | Nut                                  | 82      | 165711          | Spring Torsion T/A                |
| 25      | 106888X         | Spring, Brake Rod                    | 83      | 19171216        | Washer 17/32 x 3/4 x 16 Ga.       |
| 26      | <b>19131316</b> | Washer                               | 84      | <b>169594</b>   | Link Trans.                       |
| 27      | 76020412        | Pin Cotter 1/8 x 3/4 CAD.            | 89      | 192056X428      | Console, Shift                    |
| 28      | 175765          | Rod, Parking Brake                   | 95      | <b>170201</b>   | Disconnect Asm. Rod Bypass        |
| 29      | 71673           | Cap, Parking Brake                   | 96      | 4497H           | Retainer Spring 1" Zinc/Cad       |
| 30      | 169592          | Bracket, Transaxle                   | 112     | 19091210        | Washer 9/32 x 3/4 x 10 Ga.        |
| 32      | 74760512        | Bolt Hex Hd 5/16-18 unc x 3/4        | 116     | 72140608        | Bolt RDHD SQNK 3/8-16 unc x 1     |
| 34      | 175578          | Shaft, Foot Pedal                    | 120     | 73900600        | Nut Lock Flg 3/8-16 unc           |
| 35      | 120183X         | Bearing, Nylon                       | 150     | 175456          | Spacer Retainer                   |
| 36      | 19211616        | Washer                               | 151     | 19133210        | Washer 13/32 x 2 x 10 Ga.         |
| 37      | 1572H           | Pin, Roll                            | 156     | 166002          | Washer Srrted 5/16 ID x 1.125     |
| 38      | 179114          | Pulley, Composite                    | 158     | 165589          | Bracket Shift Mount               |
| 39      | 72110622        | Bolt Rdhd 3/8-16 unc x 2-3/4 Gr. 5   | 159     | 183900          | Hub Shift                         |
| 41      | 175556          | Keeper, Belt Idler                   | 161     | 72140406        | Bolt Rdhd Sqnk 1/4-20 x 3/4 Gr. 5 |
| 47      | 127783          | Pulley, Idler, V-Groove              | 162     | 73680400        | Nut Crownlock 1/4-20 unc          |
| 48      | 154407          | Bellcrank Clutch Grnd Drv STL        | 163     | 74780416        | Bolt Hex Fin 1/4-20 unc x 1 Gr. 5 |
| 49      | 123205X         | Retainer, Belt                       | 165     | 165623          | Bracket Pivot Lever               |
| 50      | 72110612        | Bolt Carr Sh 3/8-16 x 1-1/2 Gr. 5    | 166     | 17490510        | Screw 5/16-18 x 5/8               |
| 51      | 73680600        | Nut Crownlock 3/8-16 unc             | 168     | 165492          | Bolt Shoulder 5/16-18 x .561      |
| 52      | 73680500        | Nut Crownlock 5/16-18 unc            | 169     | 165580          | Plate Fastening Lt                |
| 53      | 199652          | Link, Clutch                         | 197     | 169613          | Nyliner Snap-In 5/8" ID           |
| 55      | 105709X         | Spring, Return, Clutch               | 198     | 169593          | Washer Nyl 7/8 ID x .105          |
| 56      | 17060620        | Screw 3/8-16 x 1-1/4                 | 199     | <b>169612</b>   | Bolt Shoulder                     |
| 57      | <b>140294</b>   | V-Belt, Ground Drive                 | 200     | <b>72140508</b> | Bolt Carr. 5/16-18 x 1            |
| 59      | 169691          | Keeper, Center Span                  | 202     | 72110614        | Bolt Carr Sh 3/8-16 x 1-3/4 Gr. 5 |
| 61      | 17120614        | Screw 3/8-16 x .875                  | 212     | 145212          | Nut Hex flange Lock               |
| 62      | 8883R           | Cover, Pedal                         | 263     | 17000612        | Screw Hex Wsh Thdr 3/8-16 x 3/4   |
| 63      | 175410          | Pulley, Engine                       |         |                 |                                   |
| 64      | 173937          | Bolt Hex 7/16-20 x 4 x Gr. 5-1.5 Thr |         |                 |                                   |
| 65      | 10040700        | Washer                               |         |                 |                                   |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
STEERING ASSEMBLY**




steering\_pl.lt\_57

**TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
STEERING ASSEMBLY**

| <b>KEY NO.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>                |
|----------------|-----------------|-----------------------------------|
| 1              | 186093X428      | Wheel Steering                    |
| 2              | 184706          | Axle Asm                          |
| 3              | 169840          | Spindle Asm LH                    |
| 4              | 169839          | Spindle Asm RH                    |
| 5              | 6266H           | Bearing Race Thrust Harden        |
| 6              | 121748X         | Washer 25/32 x 1-5/8 x 16 Ga.     |
| 8              | 12000029        | Ring Klip #t5304-75               |
| 10             | 175121          | Link Drag                         |
| 11             | 10040600        | Washer Lock Hvy Hlcl Spr 3/8      |
| 13             | 136518          | Spacer Brg Axle Front             |
| 15             | 145212          | Nut Hex Flange Lock               |
| 17             | 190753          | Shaft Asm Steering                |
| 26             | 126847X         | Bushing Link Drag                 |
| 28             | 19131416        | Washer 13/32 x 7/8 x 16 Ga.       |
| 29             | 17000612        | Screw 3/8-16 x .75                |
| 30             | 76020412        | Pin Cotter 1/8 x 3/4              |
| 32             | 192757          | Rod Tie                           |
| 34             | 10040500        | Washer Lock Hvy Hlcl Spr 5/16     |
| 36             | 155099          | Bushing Strg                      |
| 37             | 152927          | Screw                             |
| 38             | 186095X428      | Insert Cap Strg Wh                |
| 39             | 19113812        | Washer 11/32 ID x 2-3/8 OD 12 Ga. |
| 40             | 73540600        | Crownlock nut                     |
| 41             | 186737          | Adaptor Wheel Strg                |
| 42             | 145054X428      | Boot Steering Dash                |
| 43             | 121749X         | Washer 25/32 x 1 1/4 x 16 Ga.     |
| 44             | 190752          | Extension Steering Shaft          |
| 46             | 121232X         | Cap Spindle Fr Top Blk            |
| 65             | 160367          | Spacer Brace Axle                 |
| 67             | 72110618        | Bolt RDHD SQNK 3/8-16 x 2 1/4     |
| 71             | 175146          | Steering Asm                      |
| 68             | 169827          | Axle, Brace                       |
| 82             | 199978          | Bracket Susp Chassis Front        |
| 87             | 173966          | Washer Flat .781 x 1 1/2 x .14    |
| 88             | 175118          | Bolt Shoulder 7/16-20 unc         |
| 91             | 175553          | Clip Steering                     |
| 95             | 188967          | Washer Harden .739 x 1.637 x .060 |
| 97             | 74780564        | Bolt 5/16-18 unc x 4" L Gr. 5     |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
SEAT ASSEMBLY**




seat\_lt.knob\_13

| KEY NO. | PART NO. | DESCRIPTION                    |
|---------|----------|--------------------------------|
| 1       | 188712   | Seat                           |
| 2       | 140551   | Bracket Pivot Seat 8 720       |
| 3       | 71110616 | Bolt Fin Hex 3/8-16 unc x 1    |
| 4       | 19131610 | Washer 13/32 x 1 x 10 Ga.      |
| 5       | 145006   | Clip Push-In                   |
| 6       | 73800600 | Nut Hex w/Ins. 3/8-16 unc      |
| 7       | 124181X  | Spring Seat Cprsn 2 250 Blk Zi |
| 8       | 17000616 | Screw 3/8-16 x 1.5 Smgml       |
| 9       | 19131614 | Washer 13/32 x 1 x 14 Ga.      |
| 10      | 195530   | Pan Seat                       |
| 11      | 166369   | Knob Seat                      |
| 12      | 174648   | Bracket Mounting Switch        |

| KEY NO. | PART NO. | DESCRIPTION                     |
|---------|----------|---------------------------------|
| 13      | 121248X  | Bushing Snap Blk Nyl 50 Id      |
| 14      | 72050412 | Bolt Rdhd Sqnk 1/4-20 x 1-1/2   |
| 15      | 134300   | Spacer Split 28x 88             |
| 16      | 121250X  | Spring Cprsn                    |
| 17      | 123976X  | Nut Lock 1/4 Lge Flg Gr. 5 Zinc |
| 21      | 171852   | Bolt Shoulder 5/16-18 unc       |
| 22      | 73800500 | Nut Hex Lock W/Ins 5/16-18      |
| 24      | 19171912 | Washer 17/32 x 1-3/16 x 12 Ga.  |
| 25      | 127018X  | Bolt Shoulder 5/16-18 x 62      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
ENGINE**



**OPTIONAL EQUIPMENT**  
**Spark Arrester**


engine-bs.1cyl\_48

| KEY NO. | PART NO. | DESCRIPTION                       |
|---------|----------|-----------------------------------|
| 1       | 170551   | Control, Throttle                 |
| 2       | 17720408 | Screw Hex Thd Cut 1/4-20 x 1/2    |
| 3       | -----    | Engine Briggs Model 31P877        |
| 4       | 137352   | Muffler                           |
| 13      | 165291   | Muffler Gasket                    |
| 14      | 148456   | Tube Oil Drain                    |
| 23      | 169837   | Shield, Browning/Debris Guard     |
| 29      | 137180   | Arrester, Spark                   |
| 31      | 185534   | Tank, Fuel                        |
| 32      | 140527   | Cap, Fuel                         |
| 33      | 123487X  | Clamp, Hose Blk                   |
| 37      | 401137   | Line, Fuel                        |
| 38      | 181654   | Plug Drain Oil Easy               |
| 44      | 17670412 | Screw Hex Wsh Thdrol 1/4-20 x 3/4 |
| 45      | 17000612 | Screw Hex Wsh Thdrol 3/8-16 x 3/4 |

| KEY NO. | PART NO. | DESCRIPTION                   |
|---------|----------|-------------------------------|
| 46      | 19091416 | Washer 9/32 x 7/8 x 16 Ga.    |
| 62      | 10010500 | Washer Split                  |
| 72      | 192334   | Screw Socket Hd 5/16-18 x .75 |
| 78      | 17060620 | Screw 3/8-16 x 1-1/4          |
| 81      | 73510400 | Nut Keps Hex 1/4-20 unc       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
MOWER DECK




**TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
MOWER DECK**

| KEY NO. | PART NO.   | DESCRIPTION                          | KEY NO. | PART NO. | DESCRIPTION  |
|---------|------------|--------------------------------------|---------|----------|--|
| 1       | 165892     | Mower Deck Assembly, 42"             | 56      | 122052X  | Spacer, Retainer   |
| 2       | 72140506   | Bolt                                 | 59      | 141043   | Guard TUV Idler  |
| 3       | 138017     | Bracket Asm Fr. Sway Bar 3/42        | 67      | 106932X  | Knob Round   |
| 4       | 165460     | Bracket Asm Deck 42" Sway Bar        | 68      | 144959   | V-Belt, 42" Mower  |
| 5       | 4939M      | Retainer Spring                      | 111     | 179292   | Bracket Asm. Whl Ga. LH  |
| 6       | 178024     | Bar Sway Deck                        | 112     | 179293   | Bracket Asm Whl Ga. RH   |
| 8       | 850857     | Bolt 3/8-24 x 1.25 Gr. 8 patched     | 113     | 17000510 | Screw 5/16-18  |
| 9       | 10030600   | Washer, Lock                         | 116     | 4898H    | Bolt, Shoulder   |
| 10      | 140296     | Washer, Hardened                     | 117     | 188606   | Wheel, Gauge   |
|         |            | (The following Blades are available) | 118     | 73930600 | Nut Centerlock 3/8-16  |
| 11      | 138971     | Blade Mower 42" Hi-Lift              | 119     | 19121414 | Washer 3/8 x 7/8 x 14 Ga.  |
|         |            | (for bagging and discharging)        | 142     | 165890   | Arm Spring Brake Mower   |
| --      | 134149     | Blade, Mulching 42" Std              | 143     | 157109   | Bracket Arm Idler 42"  |
|         |            | (for mulching mowers only)           | 144     | 173441   | Keeper Belt 42" Clutch Cable   |
| --      | 139775     | Blade Mulching 42" Premium           | 145     | 173437   | Pulley Idler Flat  |
|         |            | (For better wear when mulching)      | 146     | 173443   | Bolt Carriage Idler  |
| 13      | 137645     | Shaft Assembly, Mandrel, Vented      | 147     | 131335   | Spring Extension   |
| 14      | 128774     | Housing, Mandrel, Vented             | 148     | 169022   | Spring Return Idler  |
| 15      | 110485X    | Bearing, Ball, Mandrel               | 149     | 165898   | Retainer Spring Yellow   |
| 16      | 174493     | Stripper, Mandrel Deck               | 150     | 19091210 | Washer 9/32 x 3/4 x 10 Ga.   |
| 18      | 72140505   | Bolt, Carriage 5/16-18 x 5/8         | 152     | 169676   | Clutch Cable 42"   |
| 19      | 132827     | Bolt, Shoulder                       | 158     | 17720408 | Screw Hex Thd Cut 1/4-20 x 1/2   |
| 20      | 159770     | Baffle, Vortex                       | 159     | 72140614 | Bolt Rdhd Sqn 3/8-16 unc x 1-3/4   |
| 21      | 73680500   | Nut                                  | 184     | 19131410 | Washer 13/32 x 7/8 x 10 Ga.  |
| 23      | 177563     | Bracket, Deflector Mower 42"         | 185     | 188234   | Head Asm Cable Clutch  |
| 24      | 105304X    | Cap, Sleeve 80 x 112 Blk Mower       | --      | 130794   | Mandrel Assembly (Includes Housing Shaft and Shaft Hardware Only - Pulley Not Included)          |
| 25      | 123713X    | Spring, Torsion, Deflector 2 52      |         |          |  |
| 26      | 110452X    | Nut, Push Phos & Oil                 | --      | 172559   | Replacement Mower, Complete (Std. deck-Order seperately gauge wheel componants Key Nos. 116-119) |
| 27      | 130968X428 | Shield, Deflector 42" Blk            |         |          |  |
| 28      | 19111016   | Washer 11/32 x 5/8 x 16 Ga.          |         |          |  |
| 29      | 131491     | Rod, Hinge 42" 6 75 W/G              |         |          |  |
| 30      | 173984     | Screw Thdrol                         |         |          |  |
| 31      | 187690     | Washer, Spacer Mower Vented          |         |          |  |
| 32      | 173436     | Pulley, Mandrel                      |         |          |  |
| 33      | 178342     | Nut, Toplock                         |         |          |  |
| 34      | 72110612   | Bolt Carr SH 3/8-16 x 1-1/2 Gr.5     |         |          |  |
| 36      | 173438     | Pulley, Idler, Flat                  |         |          |  |
| 40      | 73900600   | Nut Lock 3/8-16                      |         |          |  |
| 44      | 140088     | Guard, Mandrel, LH                   |         |          |  |
| 45      | 4497H      | Retainer                             |         |          |  |
| 46      | 137729     | Screw, Thdrol 1/4-20 x 5/8 T         |         |          |  |
| 48      | 133944     | Washer, Hardened                     |         |          |  |
| 52      | 139888     | Bolt, Shoulder 5/16-18 unc           |         |          |  |
| 53      | 184907     | Arm Assembly, Pad, Brake             |         |          |  |
| 54      | 178515     | Washer, Hardened                     |         |          |  |
| 55      | 155046     | Arm, Idler                           |         |          |  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER PB19H42LT (96012004700), PRODUCT NO. 960 12 00-47  
MOWER LIFT**



lift-rh.1piece\_3

| KEY NO. | PART NO. | DESCRIPTION                   |
|---------|----------|-------------------------------|
| 1       | 198417   | Wire Asm Inner/Sprg W/plunger |
| 2       | 198070   | Shaft Asm Lift RH w/Inf       |
| 3       | 188822   | Pin Groove 5/16 Dia x 1.875   |
| 4       | 12000002 | E Ring #5133-62               |
| 5       | 19211621 | Washer 21/32 x 1 x 21 Ga.     |
| 6       | 120183X  | Bearing Nylon Blk 629 Id      |
| 7       | 125631X  | Grip Handle                   |
| 8       | 124526X  | Button Plunger                |
| 11      | 139865   | Link Lift LH Fixed Length     |
| 12      | 139866   | Link Lift RH Fixed Length     |
| 13      | 4939M    | Retainer Spring               |

| KEY NO. | PART NO. | DESCRIPTION                  |
|---------|----------|------------------------------|
| 15      | 173288   | Link Front                   |
| 16      | 73350800 | Nut Jam Hex 1/2-13 unc       |
| 17      | 175689   | Trunnion                     |
| 18      | 73800800 | Nut Lock W/Wsh 1/2-13 unc    |
| 19      | 139868   | Arm Suspension Rear          |
| 20      | 194209   | Pin Cotter 7/16 Bow Tie Lock |
| 31      | 169865   | Bearing Pvt Lift             |
| 32      | 73540600 | Nut Crownlock 3/8 - 24       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm